



Figure 3.4-12. Gulf of Alaska: 1990-2002 Observed Rockfish Non-Pelagic (Bottom) Trawl Effort (Sets/25 km²)



Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data


Figure 3.4-13. Gulf of Alaska: 1990-2002 Observed Sablefish and Turbot Hook and Line Effort (Sets/25 km²)



Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data


Figure 3.4-14. Gulf of Alaska: 1990-2002 Observed Pacific Cod Hook and Line Effort (Sets/25 km²)



Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data


Figure 3.4-15. Gulf of Alaska: 1990-2002 Observed Pacific Cod Pot Effort (Sets/25 km²)



Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data


Figure 3.4-16. Bering Sea: 1990-2002 Observed Pollock Pelagic Trawl Effort (Sets/25 km²)



Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data


Figure 3.4-17. Bering Sea: 1990-2002 Observed Pollock Non-Pelagic (Bottom) Trawl Effort (Sets/25 km²)



Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data


Figure 3.4-18. Aleutian Islands: 1990-2002 Observed Pollock Pelagic Trawl Effort (Sets/25 km²)



Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data


Figure 3.4-19. Aleutian Islands: 1990-2002 Observed Pollock Non-Pelagic (Bottom) Trawl Effort (Sets/25 km²)



Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data


Figure 3.4-20. Bering Sea: 1990-2002 Observed Pacific Cod Non-Pelagic (Bottom) Trawl Effort (Sets/25 km²)



Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data


Figure 3.4-21. Aleutian Islands: 1990-2002 Observed Pacific Cod Non-Pelagic (Bottom) Trawl Effort (Sets/25 km²)



Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data


Figure 3.4-22. Bering Sea: 1990-2002 Observed Rock Sole Non-Pelagic (Bottom) Trawl Effort (Sets/25 km²)



Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data


Figure 3.4-23. Bering Sea: 1990-2002 Observed Yellowfin Sole Non-Pelagic (Bottom) Trawl Effort (Sets/25 km²)



Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data


Figure 3.4-24. Bering Sea: 1990-2002 Observed Flathead Sole and Other Flatfish Non-Pelagic (Bottom) Trawl Effort (Sets/25 km²)



Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data


Figure 3.4-25. Bering Sea: 1990-2002 Observed Rockfish Non-Pelagic (Bottom) Trawl Effort (Sets/25 km²)



Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data


Figure 3.4-26. Aleutian Islands: 1990-2002 Observed Rockfish Non-Pelagic (Bottom) Trawl Effort (Sets/25 km²)



Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data


Figure 3.4-27. Aleutian Islands: 1990-2002 Observed Atka Mackerel Non-Pelagic (Bottom) Trawl Effort (Sets/25 km²)



Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data


Figure 3.4-28. Bering Sea: 1990-2002 Observed Pacific Cod Hook and Line Effort (Sets/25 km²)



Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data


Figure 3.4-29. Aleutian Islands: 1990-2002 Observed Pacific Cod Hook and Line Effort (Sets/25 km²)



Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data


Figure 3.4-30. Bering Sea: 1990-2002 Observed Sablefish and Turbot Hook and Line Trawl Effort (Sets/25 km²)



Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data


Figure 3.4-31. Aleutian Islands: 1990-2002 Observed Sablefish and Turbot Hook and Line Effort (Sets/25 km²)



Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data


Figure 3.4-32. Bering Sea: 1990-2002 Observed Pacific Cod Pot Effort (Sets/25 km²)



Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data

Figure 3.4-33. Aleutian Islands: 1990-2002 Observed Pacific Cod Pot Effort (Sets/25 km²)




Note: (Sets/25 km²) = Summed for 1990 to 2002

Source: Cathy Coon, NPFMC Staff, North Pacific Observer Program Data

Figure 3.4-34. Crab Pot/Pacific Cod Pot


Standard pot



Source: Alaska Department of Fish and Game


Figure 3.4-35. Scallop Dredge, The New Bedford Style

**SMOLOWITZ
FIGURE 2
(page 48)**
The New
Bedford style
scallop dredge,
with top
removed for
illustration.
Drawing by
Robin Amaral.



Source: Smolowitz.1998

Figure 3.4-36. Salmon Troll



Source: K. Richards, Tetra Tech FW, Bothell, WA